

LAW OFFICE OF  
DAVID J. WEINSOFF  
138 Ridgeway Avenue  
Fairfax, California 94930  
tel. 415-460-9760 fax. 415-460-9762  
david@weinsofflaw.com

***Via Certified Mailing - Return Receipt***

July 8, 2014

Mr. Donald Holland  
Owner/Facility Operator  
Cabrillo Boat Shop  
1500 Pier C Street  
Long Beach, CA 90813

**Re: Notice of Violations and Intent to File Suit Under the Federal Water  
Pollution Control Act (Clean Water Act)**

Dear Owner, Operator, and Site Manager:

**NOTICE**

This Notice is provided on behalf of California River Watch ("River Watch") in regard to violations of the Clean Water Act ("CWA" or "Act") 33 U.S.C. § 1251 *et seq.*, that River Watch believes are occurring at the Cabrillo Boat Shop facility located at 1500 Pier C Street in Long Beach, California. Notice is being sent to you as the responsible owner, operator, lessee, and/or manager of this facility and real property. This Notice addresses the violations of the CWA, including violation of the terms of the General California Industrial Storm Water Permit, and the unlawful discharge of pollutants from Cabrillo Boat Shop into the Pacific Ocean.

CWA § 505(b) requires a citizen to give notice of the intent to file suit sixty (60) days prior to the initiation of a civil action under Section 505(a) of the Act. Notice must be given to the alleged violator, the U.S. Environmental Protection Agency ("EPA"), and the state in which the violations occur.

As required by the CWA, this Notice provides notice of the violations that have occurred, and continue to occur at the Cabrillo Boat Shop facility. Consequently, Cabrillo Boat Shop (the "Discharger") is placed on formal notice by River Watch that after the expiration of sixty (60) days from the date of this Notice, River Watch will be entitled to bring suit in the United States District Court against the Discharger for continuing violations of an effluent standard or limitation, National Pollutant Discharge Elimination System ("NPDES") permit condition or requirement, or Federal or State Order issued under the CWA (in particular, but not limited to, CWA § 301(a), § 402(p), and § 505(a)(1), as well as the failure to comply with requirements set

forth in the Code of Federal Regulations and the Los Angeles Regional Water Quality Control Board ("RWQCB") Water Quality Control Plan or "Basin Plan."

The CWA requires that any Notice regarding an alleged violation of an effluent standard or limitation or of an order with respect thereto shall include sufficient information to permit the recipient to identify the following:

1. *The specific standard, limitation, or order alleged to have been violated.*

To comply with this requirement, River Watch notices the Discharger of ongoing violations of the substantive and procedural requirements of CWA § 402(p) and violations of NPDES Permit No. CAS000001, State Water Resources Control Board, Order No. 92-12-DWQ as amended by Order No. 97-03-DWQ (the "General Permit") relating to boat repair and maintenance facility services taking place at the Cabrillo Boat Shop site.

The Discharger filed a Notice of Intent ("NOI") agreeing to comply with the terms and conditions of the General Permit. The State Water Resources Control Board approved the NOI on or about June 11, 1999, and the Discharger was assigned Waste Discharge Identification ("WDID") number 4 19I015186. River Watch contends that in the operation of the Cabrillo Boat Shop facility, the Discharger has failed and is failing to comply with the terms and conditions of the General Permit requiring the preparation, implementation, review and update of an adequate Storm Water Pollution Prevention Plan ("SWPPP"), the elimination of all non-authorized storm water discharges, and the development and implementation of an adequate monitoring and reporting program.

Compliance with the monitoring and reporting program is central to the effectiveness of the General Permit program. The Discharger, however, has failed and is failing to comply with the following General Permit requirements as detailed in the Annual Reports submitted in reporting years 2008-2009, 2009-2010, 2010-2011, 2011-2012, and 2012-2013:<sup>1</sup>

---

<sup>1</sup> These alleged violations are in addition to those identified by the RWQCB in its April 21, 2014 "Notice To Comply," which identified the failure of the Discharger to submit any Annual Reports for the 5 Annual Reporting periods 2009-2013 (these 5 Annual Reports were subsequently received by the RWQCB on or about May 15, 2014 and all identify the Report preparation date as April 12, 2014). The Notice To Comply follows up on 2 prior RWQCB Notices of Noncompliance – the May 14, 2013 "Notice of Violation: Failure to Submit an Annual Report as Required by the General Permit for Storm Water Discharges Associated with Industrial Activities (General Permit, Order No. 97-03-DWQ, NPDES No. CAS000001) WDID No. 4 19I015186" issued to Ms. Susan Holland via Certified Mail/Return Receipt Requested (7012 3460 0001 6366 2810); and the August 10, 2012 "Notice of Non-Compliance: Failure to Submit an Annual Report as Required by the General Permit for Storm Water Discharges Associated with Industrial Activities (General Permit, Order No. 97-03-DWQ, NPDES No. CAS000001) WDID No. 4 19I015186" issued to Ms. Susan Holland via Certified Mail/Return Receipt Requested (7009 2820 0001 6537 4459), both citing the Discharger's failure to submit the required 2010-2011 Annual Report. These violations are incorporated by reference into this River Watch Notice.

a. Sampling and Analysis Results Were Incorrectly Provided in the 2008-2009, 2009-2010, 2010-2011, 2011-2012, and 2012-2013 Annual Reports

The Annual Report form, in the Section titled *Specific Information*, “Monitoring and Reporting Program,” E. Sampling and Analysis Results, identifies the following violations:

Subparagraph 1. specifically questions “How may storm events did you sample?” Under Section B.5 of the General Permit, two (2) storm water samples are required. The Discharger, which concedes in Section D.1 of the Annual Report Form that it is not “exempt” from collecting and analyzing samples from two storm events, failed to sample for any storm events during the Annual Reporting Permit period 2008-2009 through 2012-2013, stating as explanation: “because the foreman responsible for drafting that portion of our plan quit and we were unaware of the requirements” (Annual Report 2008-2009); “due to the facility being unaware of the need after previous foreman quit” (Annual Report 2009-2010); “staff was not properly educated in storm water testing protocols after previous foreman quit” (Annual Report 2010-2011); “was unaware of the requirement prior to starting these forms” (Annual Report 2011-2012); and “was unaware of the testing requirement, have corrected that for future years” (Annual Report 2012-2013).

Subparagraph 10. specifically states that “Section B.5 of the General Permit requires you to analyze storm water for ... other pollutants likely to be present in storm water discharges in significant quantities ...” The requirement to identify “potential pollutants that could be discharged in storm water discharges or authorized non-storm water discharges” is also mandated under Section A.6 of the General Permit governing the preparation of the Discharger’s SWPPP. As noted above, the 2008-2009 through 2012-2013 Annual Reports fail to contain any sampling. Had sampling been conducted, however, the Discharger appears to be confused as to the pollutants for which sampling is required. In addition to the uniformly required sampling for pH, Total Suspended Solids (TSS), Specific Conductance (SC), Total Organic Carbon (TOC) or Oil and Grease (O&G) – the core set of pollutants that must be sampled by all industrial facilities covered under the General Permit - the Discharger, if covered under SIC Code 4493 (as identified in the State Water Resources Control Board’s June 11, 1999 “Receipt Of Your Notice of Intent (NOI)) must sample (as required under Subparagraph 10.a) for the Table D Sector Q “parameters” aluminum, iron, lead, and zinc. If, however, the Discharger, is an SIC Code 3731 or 3732 Sector R “Ship and Boat Building or Repairing Yard,” it must sample for zinc and copper, the common toxic metals found in the bottom and topside paint applied to boats at the Cabrillo Boat Shop facility.

b. SWPPP and Sampling and Analysis Requirements Were Not Properly Revised and Implemented in the 2008-2009, 2009-2010, 2010-2011, 2011-2012, and 2012-2013 Annual Reporting Years

The Annual Report form, in the Section titled *Specific Information*, “Annual Comprehensive Site Compliance Evaluation (ACSCE),” H. ACSCE Checklist, Subparagraph 4, questions “Have you reviewed all General Permit compliance records generated since the last annual evaluation? The following records should be reviewed: ... Sampling and Analysis records.” The Discharger checked the box “Yes” in its most recent Annual Report for 2012-

2013. The Discharger's review, however, failed to include a review of any "sampling and analysis records," as none had been produced as required by the General Permit. The Discharger's SWPPP and monitoring program must be revised to ensure compliance with the General Permit's mandate for sampling, analysis, and comprehensive review. The Discharger did check the box "No" in each of the Annual Reports for 2008-2009 through 2011-2012, providing the explanation that the "Plan was assumed to be home-made, did not consider the requirements of state ordinance" (Annual Report 2008-2009); "unaware of the presence of any new legislation" (Annual Report 2009-2010); "we were unaware of requirement prior to completing this form" (Annual Report 2010-2011), and "did not know to check new legislation; assumed it was all in-house monitoring" (Annual Report 2011-2012).

c. Corrective Action Taken for Incidents of Noncompliance are Implemented for the 2008-2009, 2009-2010, 2010-2011, 2011-2012, and 2012-2013 Annual Reporting Years

The Annual Report form, in the Section titled *Specific Information*, "Annual Comprehensive Site Compliance Evaluation (ACSCE)," I. ACSCE Evaluation Report, requires "[t]he facility operator ... to provide an evaluation report that includes ... any incidents of non-compliance and the corrective actions taken." The Discharger allegedly failed and is failing to identify and correct the deficiencies in Sections "E" and "H" of the Annual Reports as detailed above.

d. Certification of Compliance With General Permit Improperly Cited in the 2008-2009, 2009-2010, 2010-2011, 2011-2012, and 2012-2013 Annual Reporting Years

The Annual Report form, in the Section titled *Specific Information*, "Annual Comprehensive Site Compliance Evaluation (ACSCE)," J. ACSCE Certification requires facilities covered under the General Permit to state "[b]ased on your ACSCE, do you certify compliance with the Industrial Activities Storm Water General Permit?" On each Annual Report the Discharger states "Yes." The alleged failures to fully and accurately ensure compliance with the requirements of the General Permit as detailed above contradict both the "ACSME Certification" and the signed "Annual Report Certification," which provides that the signer of the Annual Report attests that the "information submitted is, to the best of my knowledge and belief, true, accurate and complete."

2. *The activity alleged to constitute a violation.*

The Discharger's operations (classified as SIC 4493 in the June 11, 1999 State Water Resources Control Board "Receipt Of Your Notice Of Intent (NOI)") appear more properly to be operations conducted under SIC 3731 or 3732. These activities include, but are not limited to, "Haul-outs," "Hydrowash," "Bottom Jobs," "Blister Repair," "Epoxy Barrier Coats," "Fiberglass Repair And Fabrication," "Rudder Repair," "Non Skid Applications," "All Aspects of Paint and Finish, specializing in L.P.," "Mast and Rigging," "Engine Lifts," "Props, Cutlass Bearings, Shafts, Repair or Replace," "Engine Alignment," "Engine Mounting Fabrication," "Lifeboat repairs," and "Lift to/from Trailer." (<http://www.cabrilloboatshop.com/Services.html>; July 3, 2014). The work at the Cabrillo Boat Shop facility is conducted both indoors and outdoors, in

close proximity to the navigable waters of the Pacific Ocean. Because the property on which the Cabrillo Boat Shop facility is located is subject to rain events, and because there is no RWQCB exemption from collecting and analyzing the range of pollutants identified above, there can be a discharge of these pollutants to the Pacific Ocean.

To properly regulate these activities and control the discharge of these types of pollutants, the State Water Resources Control Board requires industrial facilities to obtain and comply with the terms and conditions of an individual NPDES permit or seek coverage under the General Permit (or obtain a proper exemption under the terms of the General Permit from its requirements). Review of the public record by River Watch reveals that the Discharger obtained coverage under the General Permit but fails to comply with its environmentally protective requirements, in particular compliance with the critically important sampling and comprehensive annual reporting requirement.

River Watch, in addition to alleging illegal storm water discharges, alleges the Discharger is discharging non-storm water from its facility that is not authorized under the General Permit, in violation of CWA § 301(a). These discharges, which require an NPDES permit, include discharges from the power-washing of equipment and vessels, and painting and repair activities that allow the discharge (via surface water and drift) of pollutants to waters of the United States.

*3. The person or persons responsible for the alleged violation.*

The persons responsible for the alleged violations are Donald Holland, Owner and Facility Operator of Cabrillo Boat Shop, referred to herein as the Discharger, and any other owners and facility operators of this facility.

*4. The location of the alleged violation.*

The location or locations of the various violations is the permanent address of the Cabrillo Boat Shop facility at 1500 Pier C Street, in Long Beach, California, including the adjoining waters of the Pacific Ocean – a water of the United States.

*5. The date or dates of violation or a reasonable range of dates during which the alleged activity occurred.*

The range of dates covered by this Notice is from July 8, 2009 to July 8, 2014. River Watch will from time to time further update this Notice to include all violations which occur after the range of dates covered by this Notice. Some of the violations are continuous in nature, therefore each day constitutes a violation.

*6. The full name, address, and telephone number of the person giving notice.*

The entity giving notice is California River Watch, 290 S. Main Street, #817, Sebastopol, CA 95472 – a non-profit corporation organized under the laws of the State of California, dedicated to protect, enhance and help restore the groundwater and surface water environs of

California including, but not limited to, its rivers, creeks, streams, wetlands, vernal pools, and tributaries.

River Watch may be contacted via email: [US@ncriverwatch.org](mailto:US@ncriverwatch.org), or through its attorneys. River Watch has retained legal counsel with respect to the issues set forth in this Notice. All communications should be addressed to:

David Weinsoff, Esq.  
Law Office of David Weinsoff  
138 Ridgeway Avenue  
Fairfax, CA 94930  
Tel. 415-460-9760  
Fax. 707-528-8675  
Email: [ldm28843@sbcglobal.net](mailto:ldm28843@sbcglobal.net)

### **STATUTORY BACKGROUND**

CWA § 301(a), 33 U.S.C. § 1311(a), prohibits the discharge of any pollutant into waters of the United States unless such discharge is in compliance with various enumerated sections of the Act. Among other things, Section 301(a) prohibits discharges not authorized by, or in violation of, the terms of an individual NPDES permit or a general NPDES permit issued pursuant to CWA § 402(p), 33 U.S.C. § 1342. CWA § 402(p), 33 U.S.C. § 1342(p), establishes a framework for regulating storm water discharges under the NPDES program. States with approved NPDES permitting programs are authorized under this section to regulate storm water discharges through permits issued to dischargers and/or through the issuance of a single, statewide general permit applicable to all storm water dischargers. Pursuant to CWA § 402, the Administrator of the U.S. EPA has authorized California's State Water Resources Control Board to issue NPDES permits including general NPDES permits in California.

The State Water Resources Control Board elected to issue a statewide general permit for industrial discharges, and issued the General Permit on or about November 19, 1991, modified the General Permit on or about September 17, 1992, and reissued the General Permit on or about April 17, 1997, pursuant to CWA § 402(p).

In order to discharge storm water lawfully in California, industrial dischargers must comply with the terms of the General Permit or have obtained an individual NPDES permit and complied with its terms.

The General Permit contains certain absolute prohibitions. Discharge Prohibition Order Section A(1) of the General Permit prohibits the direct or indirect discharge of materials other than storm water ("non-storm water discharges"), which are not otherwise regulated by a NPDES permit, to waters of the United States. Discharge Prohibition Order Section A(2) prohibits storm water discharges and authorized non-storm water discharges that cause or threaten to cause pollution, contamination, or nuisance. Receiving Water Limitation Order Section C(1) prohibits

storm water discharges to any surface or groundwater that adversely impact human health or the environment. Receiving Water Limitation Order Section C(2) prohibits storm water discharges that cause or contribute to an exceedance of any applicable water quality standards contained in a Statewide Water Quality Control Plan or the applicable Regional Water Quality Control Board Basin Plan.

In addition to absolute prohibitions, the General Permit contains a variety of substantive and procedural requirements that dischargers must meet. Facilities discharging, or having the potential to discharge, storm water associated with industrial activity that have not obtained an individual NPDES permit must apply for coverage under the General Permit by filing a NOI. The General Permit requires existing dischargers to file NOIs before March 30, 1992.

Dischargers must also develop and implement a SWPPP which must comply with the standards of BAT and BCT. The SWPPP must, among other requirements:

- Identify and evaluate sources of pollutants associated with industrial activities that may affect the quality of storm and non-storm water discharges from the facility and identify and implement site-specific BMPs to reduce or prevent pollutants associated with industrial activities in storm water and authorized non-storm water discharges [Permit Section A(2)]. BMPs must implement BAT and BCT [Permit Section B(3)].
- Include a description of individuals and their responsibilities for developing and implementing the SWPPP [Permit Section A(3)]; a site map showing the facility boundaries, storm water drainage areas with flow pattern and nearby water bodies, the location of the storm water collection, conveyance and discharge system, structural control measures, impervious areas, areas of actual and potential pollutant contact, and areas of industrial activity [Permit Section A(4)]; a list of significant materials handled and stored at the site [Permit Section A(5)]; and, a description of potential pollutant sources including industrial processes, material handling and storage areas, dust and particulate generating activities, and a description of significant spills and leaks, a list of all non-storm water discharges and their sources, and a description of locations where soil erosion may occur [Permit Section A(6)].
- Include a narrative assessment of all industrial activities and potential pollutant sources at the facility [Permit Section A(7)]. Include a narrative description of the BMPs to be implemented at the facility for each potential pollutant and its source, and consider both non-structural BMPs (including "Good Housekeeping") and structural BMPs where non-structural BMPs are not effective [Permit Section A(8)].
- Conduct one comprehensive site compliance evaluation by the facility operator in each reporting period (July 1- June 30), with SWPPP revisions made, as appropriate, and implemented within 90 days of the evaluation [Permit Section A(9)].

The General Permit requires dischargers to eliminate all non-storm water discharges to storm water conveyance systems other than those specifically set forth in Special Condition



D(1)(a) of the General Permit and meeting each of the conditions set forth in Special Condition D(1)(b).

As part of their monitoring program, dischargers must identify all storm water discharge locations that produce a significant storm water discharge, evaluate the effectiveness of BMPs in reducing pollutant loading, and evaluate whether pollution control measures set out in the SWPPP are adequate and properly implemented. Dischargers must conduct visual observations of these discharge locations for at least one storm per month during the wet season (October through May) and record their findings in their Annual Report [Permit Section B(14)]. Dischargers must also collect and analyze storm water samples from at least two storms per year in compliance with the criteria set forth in Permit Section B(5). Dischargers must also conduct dry season visual observations to identify sources of non-storm water pollution in compliance with Permit Section B(7).

Permit Section B(14) of the General Permit requires dischargers to submit an "Annual Report" by July 1 of each year to the executive officer of the relevant RWQCB. Permit Section A(9)(d) of the General Permit requires the dischargers to include in the annual report an evaluation of the dischargers' storm water controls, including certifying compliance with the General Permit. *See also* Permit Sections C(9), C(10) and B(14).

The EPA has established Parameter Benchmark Values ("EPA Benchmarks") as guidelines for determining whether a facility discharging storm water has implemented the requisite BAT and BCT. (65 Fed. Reg. 64746, 64767 (Oct. 30, 2000)). California Toxics Rule ("CTR") limitations are also applicable to all non storm water and storm water discharges. (40 C.F.R. part 131).

The RWQCB has established applicable water quality standards. This Basin Plan includes a narrative toxicity standard and a narrative oil and grease standard. The Basin Plan provides that "[w]aters shall not contain suspended material in concentrations that cause nuisance or adversely affect beneficial uses." The Basin Plan establishes limits on metals, solvents, pesticides and other hydrocarbons.

## **VIOLATIONS**

River Watch contends that between July 8, 2009 and July 8, 2014 the Discharger violated the CWA, the Basin Plan and the Code of Federal Regulations by discharging pollutants from the Cabrillo Boat Shop facility to waters of the United States without an individual NPDES permit, or in violation of the General Permit.

The violations discussed herein are derived from eye witness reports and records publicly available, or records in the possession and control of the Discharger. Furthermore, River Watch contends these violations are continuing.

As discussed above, the Discharger has failed and is failing to consistently sample for the full range of pollutants mandated by the General Permit.



Finally, River Watch also believes that the Cabrillo Boat Shop site is not operated to ensure that storm and non-storm water discharges are properly contained, controlled, and/or monitored. As a result, the Discharger fails to follow the requirements of the General Permit in its sampling protocols for the Cabrillo Boat Shop facility by failing to accurately capture "first flush" samples and failing to properly sample from all the outfalls of the facility.

### **REMEDIAL MEASURES REQUESTED**

River Watch believes that implementation of the following remedial measures are necessary in order to bring the Discharger into compliance with the CWA and reduce the biological impacts of its non-compliance upon public health and the environment surrounding the facility:

1. Prohibition of the discharges of pollutants including, but not limited to, petroleum hydrocarbons, sulfuric acid, lead, oil and grease, anti-freeze, solvents, paints, heavy metals (including aluminum, iron, lead, copper and zinc), soaps, sediment, biodegradable organic matter, sanitary waste, bacteria, and organics from the vessel repair and maintenance activities.
2. Compliance with the terms and conditions of the General Permit, and BMPs detailed in the EPA's "Industrial Stormwater Fact Sheet Series, Sector R: Ship and Boat Building or Repair Yards" (EPA Office of Water, EPA-833-F-06-033, December 2006;([www.epa.gov/npdes/pubs/sector\\_r\\_shipbuilding.pdf](http://www.epa.gov/npdes/pubs/sector_r_shipbuilding.pdf))).
3. Compliance with the storm water sampling, monitoring and reporting requirements of the General Permit.
4. Sampling of storm water at least four (4) times per year over each of the next five (5) years: at "first flush"; the first significant rain after "first flush"; the first significant rain after April 1; and the second significant rain after April 1.
5. 100% of the discharge from the Cabrillo Boat Shop site and facility must be discharged through discrete conveyances.
6. Any discharge from the Cabrillo Boat Shop site and facility to a water of the United States must be sampled during the four (4) sampling events identified in paragraph #4 above.
7. Preparation and submittal to the RWQCB of a "Reasonable Potential Analysis" for the Cabrillo Boat Shop site and its operations.
8. Preparation of an updated SWPPP including a monitoring program, with a copy provided to River Watch.


## CONCLUSION

CWA §§ 505(a)(1) and 505(f) provide for citizen enforcement actions against any "person," including individuals, corporations, or partnerships, for violations of NPDES permit requirements and for un-permitted discharges of pollutants. 33 U.S.C. §§ 1365(a)(1) and (f), § 1362(5). An action for injunctive relief under the CWA is authorized by 33 U.S.C. § 1365(a). Violators of the Act are also subject to an assessment of civil penalties of up to \$37,500 per day/per violation for all violations pursuant to Sections 309(d) and 505 of the Act, 33 U.S.C. §§ 1319(d), 1365. *See also* 40 C.F.R. §§ 19.1-19.4.

The violations set forth in this Notice effect the health and enjoyment of members of River Watch who reside and recreate in the affected community. Members of River Watch use the affected watershed for recreation, sports, fishing, swimming, hiking, photography, nature walks and the like. Their health, use and enjoyment of this natural resource is specifically impaired by the Discharger's violations of the CWA as set forth in this Notice. River Watch believes this Notice sufficiently states grounds for filing suit. At the close of the 60-day notice period or shortly thereafter River Watch has cause to file a citizen's suit under CWA § 505(a) against the Discharger for the violations of the CWA described in this Notice.

During the 60-day notice period, River Watch is willing to discuss effective remedies for the violations identified in this Notice. However, if the Discharger wishes to pursue such discussions in the absence of litigation, it is suggested those discussions be initiated soon so that they may be completed before the end of the 60-day notice period. River Watch does not intend to delay the filing of a lawsuit if discussions are continuing when the notice period ends.

Very truly yours,



David Weinsoff

DW:lhbm

cc: Administrator  
U.S. Environmental Protection Agency  
Ariel Rios Building  
1200 Pennsylvania Avenue, N. W.  
Washington, D.C. 20460

Regional Administrator  
U.S. Environmental Protection Agency, Region 9  
75 Hawthorne Street  
San Francisco, CA 94105

Executive Director  
State Water Resources Control Board  
P.O. Box 100  
Sacramento, CA 95812

Executive Officer  
Regional Water Quality Control Board  
Los Angeles Region  
320 West 4<sup>th</sup> Street / Suite 200  
Los Angeles, CA 90013